K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 03/10/06

TO: MS. SHARON SQUIRE
WEST ENVIRONMENTAL S&T
711 GRAND AVENUE, SUITE 220
SAN RAFAEL, CA 94901

Phone: 415-460-6770
Fax: 415-460-6771

ACCT: 9946
PROJ: DESILVA.HAYWARD

FROM: Richard A. Kagel, Ph.D. RAK 3/10/06
Laboratory Director

SUBJECT: LABORATORY RESULTS FOR YOUR PROJECT DESILVA.HAYWARD

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
W-21-5	AIR	03/02/06	54249
W-22-5	AIR	03/02/06	54250
W-23-5	AIR	03/02/06	54251
W-24-5	AIR	03/02/06	54252
W-25-5	AIR	03/02/06	54254
W-28-5	AIR	03/02/06	54255
W-30-5	AIR	03/02/06	54256
W-31-5	AIR	03/02/06	54257

The above listed sample group was received on 03/03/06 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

BATCH ID: 030806A01

METHOD: 1,4-DIOXANE
REFERENCE: EPA TO 14A

UNITS: PPB-V

SAMPLE ID	LAB NO.	SAMPLE TYPE	DATE SAMPLED	TIME SAMPLED	DATE ANALYZED	MRL	SAMPLE CONC
W-21-5	54249	AIR	3/2/06	13:21	3/8/06	2.00	ND
W-22-5	54250	AIR	3/2/06	14:26	3/8/06	5.00	ND
W-23-5	54251	AIR	3/2/06	15:30	3/8/06	2.00	ND
W-24-5	54252	AIR	3/2/06	17:06	3/8/06	2.00	60.5
W-25-5	54254	AIR	3/2/06	10:31	3/8/06	2.00	ND
W-28-5	54255	AIR	3/2/06	12:20	3/8/06	10.0	ND
W-30-5	54256	AIR	3/2/06	11:26	3/8/06	5.00	15.6
W-31-5	54257	AIR	3/2/06	8:26	3/8/06	5.00	448

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
MRL - METHOD REPORTING LIMIT

APPROVED BY: RAK
DATE: 3/10/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

BATCH ID: 030806A01

METHOD: 1,4-DIOXANE
REFERENCE: EPA TO 14A

UNITS: UG/M3

SAMPLE ID	LAB NO.	SAMPLE TYPE	DATE SAMPLED	TIME SAMPLED	DATE ANALYZED	MRL	SAMPLE CONC
W-21-5	54249	AIR	3/2/06	13:21	3/8/06	7.21	ND
W-22-5	54250	AIR	3/2/06	14:26	3/8/06	18.0	ND
W-23-5	54251	AIR	3/2/06	15:30	3/8/06	7.2	ND
W-24-5	54252	AIR	3/2/06	17:06	3/8/06	7.2	218
W-25-5	54254	AIR	3/2/06	10:31	3/8/06	7.1	ND
W-28-5	54255	AIR	3/2/06	12:20	3/8/06	36.0	ND
W-30-5	54256	AIR	3/2/06	11:26	3/8/06	18.0	56.2
W-31-5	54257	AIR	3/2/06	8:26	3/8/06	18.0	1610

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
MRL - METHOD REPORTING LIMIT

APPROVED BY: MK
DATE: 3/10/06

WEST Environmental Services & Technology
711 Grand Avenue, Suite 220
San Rafael, California 94901
415.460.6770 • Fax 415.460.6771
main@westenvironmental.com

SAMPLE ANALYSIS/COMPOSITE REQUEST FORM
CHAIN-OF-CUSTODY

Invoice to: West, Inc.	**Date: 3/2/06**	**Page: 5 of 5**
Project: DeSilva.Hayward	**Location: Saklan Road, Hayward, California**	
Project Manager: Sharon Squire	**Tel: 415/460-6770**	**Fax: 415/460-6771**
Laboratory: KPrime, Inc., Santa Rosa, CA	Turnaround Time (days)	1 / 2 / 3 (X) / 5 / 14 / Std.
Sampler Signature:	Analyses Required	

Sample ID	Summa ID	Date	Time	Type	# Containers	COMPOSITE	VOCs (TO-14A) + tetrafluoroethane	1,4 Dioxane *							KPI #		HOLD
W-21-5	S-255	3/2/06	1246 / 1321	SG	1	--	X	X							54249		
W-22-5	S-250	3/2/06	1359 / 1426	SG	1	--	X	X							54250		
W-23-5	S-106	3/2/06	1514 / 1530	SG	1	--	X	X							54251		
W-24-5	S-310	3/2/06	1615 / 1706	SG	1	--	X	X							54252		
W-24-5D	S-311	3/2/06	1615 / 1706	SG	1	--	X								54253		
W-25-5	SS-214	3/2/06	0931 / 1031	SG	1	--	X	X							54254		
W-28-5	S-521	3/2/06	1156 / 1220	SG	1	--	X	X							54255		
W-30-5	SS-216	3/2/06	1117 / 1126	SG	1	--	X	X							54256		
W-31-5	SS-215	3/2/06	0816 / 0826	SG	1	--	X	X							54257		

NOTES: Tetrafluoroethane used for leak detection. * Per Sharon's email 3/10/06 pk

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
Squire.	3/3/06 3:05 PM	CMol (VTC)	3/3/06 3:05
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
CMol (VTC)	3-3-06 4:30	Pam Haworth	3-3-06 4:30

Reviewed:_____
Approved:_____

K PRIME, Inc.

CONSULTING ANALYTICAL CHEMISTS

3621 Westwind Blvd.
Santa Rosa CA 95403
Phone: 707 527 7574
FAX: 707 527 7879

TRANSMITTAL

DATE: 03/08/06

TO: MS. SHARON SQUIRE
West Environmental Services & Technology
711 GRAND AVENUE, SUITE 220
San Rafael, CA 94901

Phone: 415-460-6770
Fax: 415-460-6771

ACCT: 9946
PROJ: DESILVA.HAYWARD

FROM: Richard A. Kagel, Ph.D. RAK 3/8/06
Laboratory Director

SUBJECT: LABORATORY RESULTS FOR YOUR PROJECT DESILVA.HAYWARD

Enclosed please find K Prime's laboratory reports for the following samples:

SAMPLE ID	TYPE	DATE	KPI LAB #
W-21-5	AIR	03/02/06	54249
W-22-5	AIR	03/02/06	54250
W-23-5	AIR	03/02/06	54251
W-24-5	AIR	03/02/06	54252
W-24-5D	AIR	03/02/06	54253
W-25-5	AIR	03/02/06	54254
W-28-5	AIR	03/02/06	54255
W-30-5	AIR	03/02/06	54256
W-31-5	AIR	03/02/06	54257

The above listed sample group was received on 03/03/06 and tested as requested on the chain of custody document.

Please call me if you have any questions or need further information.
Thank you for this opportunity to be of service.

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-21-5
LAB NO:	54249
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	13:21
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	1.00	ND	4.95	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	1.00	ND	6.99	ND
CHLOROMETHANE	74-87-3	1.00	ND	2.07	ND
VINYL CHLORIDE	75-01-4	1.00	ND	2.56	ND
BROMOMETHANE	74-83-9	1.00	ND	3.88	ND
CHLOROETHANE	75-00-3	1.00	ND	2.64	ND
TRICHLOROFLUOROMETHANE	75-69-4	1.00	ND	5.62	ND
1,1-DICHLOROETHENE	75-35-4	1.00	ND	3.97	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	1.00	ND	3.47	ND
1,1-DICHLOROETHANE	75-34-3	1.00	ND	4.05	ND
CIS-1,2-DICHLOROETHENE	156-59-2	1.00	ND	3.97	ND
CHLOROFORM	67-66-3	1.00	ND	4.88	ND
1,1,1-TRICHLOROETHANE	71-55-6	1.00	ND	5.46	ND
CARBON TETRACHLORIDE	56-23-5	1.00	ND	6.29	ND
1,2-DICHLOROETHANE	107-06-2	1.00	ND	4.05	ND
BENZENE	71-43-2	1.00	2.65	3.19	8.47
TRICHLOROETHENE	79-01-6	1.00	ND	5.37	ND
1,2-DICHLOROPROPANE	78-87-5	1.00	ND	4.62	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	1.00	ND	4.54	ND
TOLUENE	108-88-3	1.00	1.97	3.77	7.42
CIS-1,3-DICHLOROPROPENE	10061-01-5	1.00	ND	4.54	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.46	ND
TETRACHLOROETHENE	127-18-4	1.00	ND	6.78	ND
1,2-DIBROMOETHANE	106-93-4	1.00	ND	7.68	ND
CHLOROBENZENE	108-90-7	1.00	ND	4.60	ND
ETHYLBENZENE	100-41-4	1.00	ND	4.34	ND
XYLENE (M+P)	1330-20-7	1.00	1.14	4.34	4.95
XYLENE (O)	95-47-6	1.00	ND	4.34	ND
STYRENE	100-42-5	1.00	ND	4.26	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.87	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.92	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	ND	4.92	ND
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.01	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.01	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: RAK
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-22-5
LAB NO:	54250
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	14:26
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	2.50	ND	12.4	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	2.50	ND	17.5	ND
CHLOROMETHANE	74-87-3	2.50	ND	5.16	ND
VINYL CHLORIDE	75-01-4	2.50	ND	6.39	ND
BROMOMETHANE	74-83-9	2.50	ND	9.71	ND
CHLOROETHANE	75-00-3	2.50	ND	6.60	ND
TRICHLOROFLUOROMETHANE	75-69-4	2.50	ND	14.0	ND
1,1-DICHLOROETHENE	75-35-4	2.50	ND	9.91	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.50	ND	19.2	ND
METHYLENE CHLORIDE	75-09-2	2.50	ND	8.68	ND
1,1-DICHLOROETHANE	75-34-3	2.50	ND	10.1	ND
CIS-1,2-DICHLOROETHENE	156-59-2	2.50	ND	9.91	ND
CHLOROFORM	67-66-3	2.50	ND	12.2	ND
1,1,1-TRICHLOROETHANE	71-55-6	2.50	ND	13.6	ND
CARBON TETRACHLORIDE	56-23-5	2.50	ND	15.7	ND
1,2-DICHLOROETHANE	107-06-2	2.50	ND	10.1	ND
BENZENE	71-43-2	2.50	2.69	7.99	8.59
TRICHLOROETHENE	79-01-6	2.50	ND	13.4	ND
1,2-DICHLOROPROPANE	78-87-5	2.50	ND	11.6	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	2.50	ND	11.3	ND
TOLUENE	108-88-3	2.50	ND	9.42	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	2.50	ND	11.3	ND
1,1,2-TRICHLOROETHANE	79-00-5	2.50	ND	13.6	ND
TETRACHLOROETHENE	127-18-4	2.50	ND	17.0	ND
1,2-DIBROMOETHANE	106-93-4	2.50	ND	19.2	ND
CHLOROBENZENE	108-90-7	2.50	ND	11.5	ND
ETHYLBENZENE	100-41-4	2.50	ND	10.9	ND
XYLENE (M+P)	1330-20-7	2.50	ND	10.9	ND
XYLENE (O)	95-47-6	2.50	ND	10.9	ND
STYRENE	100-42-5	2.50	ND	10.6	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	2.50	ND	17.2	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	2.50	ND	12.3	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	2.50	ND	12.3	ND
1,3-DICHLOROBENZENE	541-73-1	2.50	ND	15.0	ND
1,4-DICHLOROBENZENE	106-46-7	2.50	ND	15.0	ND
1,2-DICHLOROBENZENE	95-50-1	2.50	ND	15.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.50	ND	18.6	ND
HEXACHLOROBUTADIENE	87-68-3	2.50	ND	26.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: MM
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-23-5
LAB NO:	54251
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	15:30
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	1.00	ND	4.95	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	1.00	ND	6.99	ND
CHLOROMETHANE	74-87-3	1.00	ND	2.07	ND
VINYL CHLORIDE	75-01-4	1.00	ND	2.56	ND
BROMOMETHANE	74-83-9	1.00	ND	3.88	ND
CHLOROETHANE	75-00-3	1.00	ND	2.64	ND
TRICHLOROFLUOROMETHANE	75-69-4	1.00	ND	5.62	ND
1,1-DICHLOROETHENE	75-35-4	1.00	ND	3.97	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	1.00	ND	3.47	ND
1,1-DICHLOROETHANE	75-34-3	1.00	ND	4.05	ND
CIS-1,2-DICHLOROETHENE	156-59-2	1.00	ND	3.97	ND
CHLOROFORM	67-66-3	1.00	ND	4.88	ND
1,1,1-TRICHLOROETHANE	71-55-6	1.00	5.80	5.46	31.6
CARBON TETRACHLORIDE	56-23-5	1.00	ND	6.29	ND
1,2-DICHLOROETHANE	107-06-2	1.00	ND	4.05	ND
BENZENE	71-43-2	1.00	2.24	3.19	7.16
TRICHLOROETHENE	79-01-6	1.00	ND	5.37	ND
1,2-DICHLOROPROPANE	78-87-5	1.00	ND	4.62	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	1.00	ND	4.54	ND
TOLUENE	108-88-3	1.00	1.59	3.77	5.99
CIS-1,3-DICHLOROPROPENE	10061-01-5	1.00	ND	4.54	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.46	ND
TETRACHLOROETHENE	127-18-4	1.00	ND	6.78	ND
1,2-DIBROMOETHANE	106-93-4	1.00	ND	7.68	ND
CHLOROBENZENE	108-90-7	1.00	ND	4.60	ND
ETHYLBENZENE	100-41-4	1.00	ND	4.34	ND
XYLENE (M+P)	1330-20-7	1.00	1.33	4.34	5.77
XYLENE (O)	95-47-6	1.00	ND	4.34	ND
STYRENE	100-42-5	1.00	ND	4.26	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.87	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.92	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	ND	4.92	ND
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.01	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.01	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: MM
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-24-5
LAB NO:	54252
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	17:06
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	1.00	ND	4.95	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	1.00	ND	6.99	ND
CHLOROMETHANE	74-87-3	1.00	ND	2.07	ND
VINYL CHLORIDE	75-01-4	1.00	ND	2.56	ND
BROMOMETHANE	74-83-9	1.00	ND	3.88	ND
CHLOROETHANE	75-00-3	1.00	ND	2.64	ND
TRICHLOROFLUOROMETHANE	75-69-4	1.00	ND	5.62	ND
1,1-DICHLOROETHENE	75-35-4	1.00	ND	3.97	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	1.00	ND	3.47	ND
1,1-DICHLOROETHANE	75-34-3	1.00	ND	4.05	ND
CIS-1,2-DICHLOROETHENE	156-59-2	1.00	ND	3.97	ND
CHLOROFORM	67-66-3	1.00	2.04	4.88	10.0
1,1,1-TRICHLOROETHANE	71-55-6	1.00	1.85	5.46	10.1
CARBON TETRACHLORIDE	56-23-5	1.00	ND	6.29	ND
1,2-DICHLOROETHANE	107-06-2	1.00	ND	4.05	ND
BENZENE	71-43-2	1.00	2.64	3.19	8.43
TRICHLOROETHENE	79-01-6	1.00	6.40	5.37	34.4
1,2-DICHLOROPROPANE	78-87-5	1.00	ND	4.62	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	1.00	ND	4.54	ND
TOLUENE	108-88-3	1.00	2.40	3.77	9.04
CIS-1,3-DICHLOROPROPENE	10061-01-5	1.00	ND	4.54	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.46	ND
TETRACHLOROETHENE	127-18-4	1.00	160	6.78	1090
1,2-DIBROMOETHANE	106-93-4	1.00	ND	7.68	ND
CHLOROBENZENE	108-90-7	1.00	ND	4.60	ND
ETHYLBENZENE	100-41-4	1.00	ND	4.34	ND
XYLENE (M+P)	1330-20-7	1.00	2.55	4.34	11.10
XYLENE (O)	95-47-6	1.00	ND	4.34	ND
STYRENE	100-42-5	1.00	ND	4.26	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.87	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.92	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	1.48	4.92	7.28
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.01	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.01	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: BMK
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-24-5D
LAB NO:	54253
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	17:06
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	1.00	ND	4.95	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	1.00	ND	6.99	ND
CHLOROMETHANE	74-87-3	1.00	ND	2.07	ND
VINYL CHLORIDE	75-01-4	1.00	ND	2.56	ND
BROMOMETHANE	74-83-9	1.00	ND	3.88	ND
CHLOROETHANE	75-00-3	1.00	ND	2.64	ND
TRICHLOROFLUOROMETHANE	75-69-4	1.00	ND	5.62	ND
1,1-DICHLOROETHENE	75-35-4	1.00	ND	3.97	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	1.00	ND	3.47	ND
1,1-DICHLOROETHANE	75-34-3	1.00	ND	4.05	ND
CIS-1,2-DICHLOROETHENE	156-59-2	1.00	ND	3.97	ND
CHLOROFORM	67-66-3	1.00	1.95	4.88	9.52
1,1,1-TRICHLOROETHANE	71-55-6	1.00	1.86	5.46	10.1
CARBON TETRACHLORIDE	56-23-5	1.00	ND	6.29	ND
1,2-DICHLOROETHANE	107-06-2	1.00	ND	4.05	ND
BENZENE	71-43-2	1.00	2.52	3.19	8.05
TRICHLOROETHENE	79-01-6	1.00	5.51	5.37	29.6
1,2-DICHLOROPROPANE	78-87-5	1.00	ND	4.62	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	1.00	ND	4.54	ND
TOLUENE	108-88-3	1.00	2.01	3.77	7.57
CIS-1,3-DICHLOROPROPENE	10061-01-5	1.00	ND	4.54	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.46	ND
TETRACHLOROETHENE	127-18-4	1.00	144	6.78	977
1,2-DIBROMOETHANE	106-93-4	1.00	ND	7.68	ND
CHLOROBENZENE	108-90-7	1.00	ND	4.60	ND
ETHYLBENZENE	100-41-4	1.00	ND	4.34	ND
XYLENE (M+P)	1330-20-7	1.00	2.02	4.34	8.77
XYLENE (O)	95-47-6	1.00	ND	4.34	ND
STYRENE	100-42-5	1.00	ND	4.26	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.87	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.92	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	1.00	4.92	4.92
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.01	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.01	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: BMK
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-25-5
LAB NO:	54254
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	10:31
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	1.00	ND	4.95	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	1.00	ND	6.99	ND
CHLOROMETHANE	74-87-3	1.00	ND	2.07	ND
VINYL CHLORIDE	75-01-4	1.00	ND	2.56	ND
BROMOMETHANE	74-83-9	1.00	ND	3.88	ND
CHLOROETHANE	75-00-3	1.00	ND	2.64	ND
TRICHLOROFLUOROMETHANE	75-69-4	1.00	ND	5.62	ND
1,1-DICHLOROETHENE	75-35-4	1.00	ND	3.97	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	1.00	ND	7.66	ND
METHYLENE CHLORIDE	75-09-2	1.00	ND	3.47	ND
1,1-DICHLOROETHANE	75-34-3	1.00	ND	4.05	ND
CIS-1,2-DICHLOROETHENE	156-59-2	1.00	ND	3.97	ND
CHLOROFORM	67-66-3	1.00	ND	4.88	ND
1,1,1-TRICHLOROETHANE	71-55-6	1.00	3.94	5.46	21.5
CARBON TETRACHLORIDE	56-23-5	1.00	ND	6.29	ND
1,2-DICHLOROETHANE	107-06-2	1.00	ND	4.05	ND
BENZENE	71-43-2	1.00	3.23	3.19	10.3
TRICHLOROETHENE	79-01-6	1.00	1.09	5.37	5.86
1,2-DICHLOROPROPANE	78-87-5	1.00	ND	4.62	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	1.00	ND	4.54	ND
TOLUENE	108-88-3	1.00	2.44	3.77	9.19
CIS-1,3-DICHLOROPROPENE	10061-01-5	1.00	ND	4.54	ND
1,1,2-TRICHLOROETHANE	79-00-5	1.00	ND	5.46	ND
TETRACHLOROETHENE	127-18-4	1.00	4.96	6.78	33.6
1,2-DIBROMOETHANE	106-93-4	1.00	ND	7.68	ND
CHLOROBENZENE	108-90-7	1.00	ND	4.60	ND
ETHYLBENZENE	100-41-4	1.00	ND	4.34	ND
XYLENE (M+P)	1330-20-7	1.00	1.05	4.34	4.56
XYLENE (O)	95-47-6	1.00	ND	4.34	ND
STYRENE	100-42-5	1.00	ND	4.26	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	1.00	ND	6.87	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	1.00	ND	4.92	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	1.00	ND	4.92	ND
1,3-DICHLOROBENZENE	541-73-1	1.00	ND	6.01	ND
1,4-DICHLOROBENZENE	106-46-7	1.00	ND	6.01	ND
1,2-DICHLOROBENZENE	95-50-1	1.00	ND	6.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	1.00	ND	7.42	ND
HEXACHLOROBUTADIENE	87-68-3	1.00	ND	10.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: MK
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-28-5
LAB NO:	54255
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	12:20
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

		PPB (V/V)		µg/cu. m	
COMPOUND NAME	**CAS NO.**	**MRL**	**SAMPLE CONC**	**MRL**	**SAMPLE CONC**
DICHLORODIFLUOROMETHANE	75-71-8	5.00	ND	24.7	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	5.00	ND	35.0	ND
CHLOROMETHANE	74-87-3	5.00	ND	10.3	ND
VINYL CHLORIDE	75-01-4	5.00	ND	12.8	ND
BROMOMETHANE	74-83-9	5.00	ND	19.4	ND
CHLOROETHANE	75-00-3	5.00	ND	13.2	ND
TRICHLOROFLUOROMETHANE	75-69-4	5.00	ND	28.1	ND
1,1-DICHLOROETHENE	75-35-4	5.00	ND	19.8	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	5.00	ND	38.3	ND
METHYLENE CHLORIDE	75-09-2	5.00	ND	17.4	ND
1,1-DICHLOROETHANE	75-34-3	5.00	ND	20.2	ND
CIS-1,2-DICHLOROETHENE	156-59-2	5.00	ND	19.8	ND
CHLOROFORM	67-66-3	5.00	ND	24.4	ND
1,1,1-TRICHLOROETHANE	71-55-6	5.00	ND	27.3	ND
CARBON TETRACHLORIDE	56-23-5	5.00	ND	31.5	ND
1,2-DICHLOROETHANE	107-06-2	5.00	ND	20.2	ND
BENZENE	71-43-2	5.00	13.5	16.0	43.1
TRICHLOROETHENE	79-01-6	5.00	ND	26.9	ND
1,2-DICHLOROPROPANE	78-87-5	5.00	ND	23.1	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	5.00	ND	22.7	ND
TOLUENE	108-88-3	5.00	ND	18.8	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	5.00	ND	22.7	ND
1,1,2-TRICHLOROETHANE	79-00-5	5.00	ND	27.3	ND
TETRACHLOROETHENE	127-18-4	5.00	ND	33.9	ND
1,2-DIBROMOETHANE	106-93-4	5.00	ND	38.4	ND
CHLOROBENZENE	108-90-7	5.00	ND	23.0	ND
ETHYLBENZENE	100-41-4	5.00	ND	21.7	ND
XYLENE (M+P)	1330-20-7	5.00	ND	21.7	ND
XYLENE (O)	95-47-6	5.00	ND	21.7	ND
STYRENE	100-42-5	5.00	ND	21.3	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	5.00	ND	34.3	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	5.00	ND	24.6	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	5.00	ND	24.6	ND
1,3-DICHLOROBENZENE	541-73-1	5.00	ND	30.1	ND
1,4-DICHLOROBENZENE	106-46-7	5.00	ND	30.1	ND
1,2-DICHLOROBENZENE	95-50-1	5.00	ND	30.1	ND
1,2,4-TRICHLOROBENZENE	120-82-1	5.00	ND	37.1	ND
HEXACHLOROBUTADIENE	87-68-3	5.00	ND	53.3	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: MK
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-30-5
LAB NO:	54256
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	11:26
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	2.50	ND	12.4	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	2.50	ND	17.5	ND
CHLOROMETHANE	74-87-3	2.50	ND	5.16	ND
VINYL CHLORIDE	75-01-4	2.50	ND	6.39	ND
BROMOMETHANE	74-83-9	2.50	ND	9.71	ND
CHLOROETHANE	75-00-3	2.50	ND	6.60	ND
TRICHLOROFLUOROMETHANE	75-69-4	2.50	ND	14.0	ND
1,1-DICHLOROETHENE	75-35-4	2.50	ND	9.91	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.50	ND	19.2	ND
METHYLENE CHLORIDE	75-09-2	2.50	ND	8.68	ND
1,1-DICHLOROETHANE	75-34-3	2.50	ND	10.1	ND
CIS-1,2-DICHLOROETHENE	156-59-2	2.50	ND	9.91	ND
CHLOROFORM	67-66-3	2.50	3.35	12.2	16.4
1,1,1-TRICHLOROETHANE	71-55-6	2.50	ND	13.6	ND
CARBON TETRACHLORIDE	56-23-5	2.50	ND	15.7	ND
1,2-DICHLOROETHANE	107-06-2	2.50	ND	10.1	ND
BENZENE	71-43-2	2.50	8.07	7.99	25.8
TRICHLOROETHENE	79-01-6	2.50	ND	13.4	ND
1,2-DICHLOROPROPANE	78-87-5	2.50	ND	11.6	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	2.50	ND	11.3	ND
TOLUENE	108-88-3	2.50	ND	9.42	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	2.50	ND	11.3	ND
1,1,2-TRICHLOROETHANE	79-00-5	2.50	ND	13.6	ND
TETRACHLOROETHENE	127-18-4	2.50	ND	17.0	ND
1,2-DIBROMOETHANE	106-93-4	2.50	ND	19.2	ND
CHLOROBENZENE	108-90-7	2.50	ND	11.5	ND
ETHYLBENZENE	100-41-4	2.50	ND	10.9	ND
XYLENE (M+P)	1330-20-7	2.50	ND	10.9	ND
XYLENE (O)	95-47-6	2.50	ND	10.9	ND
STYRENE	100-42-5	2.50	ND	10.6	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	2.50	ND	17.2	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	2.50	ND	12.3	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	2.50	ND	12.3	ND
1,3-DICHLOROBENZENE	541-73-1	2.50	ND	15.0	ND
1,4-DICHLOROBENZENE	106-46-7	2.50	ND	15.0	ND
1,2-DICHLOROBENZENE	95-50-1	2.50	ND	15.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.50	ND	18.6	ND
HEXACHLOROBUTADIENE	87-68-3	2.50	ND	26.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: MM
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

SAMPLE ID:	W-31-5
LAB NO:	54257
SAMPLE TYPE:	AIR
DATE SAMPLED:	3/2/06
TIME SAMPLED:	8:26
BATCH ID:	030806A01
DATE ANALYZED:	3/8/06

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	2.50	ND	12.4	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	2.50	ND	17.5	ND
CHLOROMETHANE	74-87-3	2.50	ND	5.16	ND
VINYL CHLORIDE	75-01-4	2.50	ND	6.39	ND
BROMOMETHANE	74-83-9	2.50	ND	9.71	ND
CHLOROETHANE	75-00-3	2.50	ND	6.60	ND
TRICHLOROFLUOROMETHANE	75-69-4	2.50	ND	14.0	ND
1,1-DICHLOROETHENE	75-35-4	2.50	ND	9.91	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	2.50	ND	19.2	ND
METHYLENE CHLORIDE	75-09-2	2.50	ND	8.68	ND
1,1-DICHLOROETHANE	75-34-3	2.50	ND	10.1	ND
CIS-1,2-DICHLOROETHENE	156-59-2	2.50	ND	9.91	ND
CHLOROFORM	67-66-3	2.50	7.49	12.2	36.6
1,1,1-TRICHLOROETHANE	71-55-6	2.50	ND	13.6	ND
CARBON TETRACHLORIDE	56-23-5	2.50	ND	15.7	ND
1,2-DICHLOROETHANE	107-06-2	2.50	ND	10.1	ND
BENZENE	71-43-2	2.50	6.44	7.99	20.6
TRICHLOROETHENE	79-01-6	2.50	ND	13.4	ND
1,2-DICHLOROPROPANE	78-87-5	2.50	ND	11.6	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	2.50	ND	11.3	ND
TOLUENE	108-88-3	2.50	ND	9.42	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	2.50	ND	11.3	ND
1,1,2-TRICHLOROETHANE	79-00-5	2.50	ND	13.6	ND
TETRACHLOROETHENE	127-18-4	2.50	ND	17.0	ND
1,2-DIBROMOETHANE	106-93-4	2.50	ND	19.2	ND
CHLOROBENZENE	108-90-7	2.50	ND	11.5	ND
ETHYLBENZENE	100-41-4	2.50	ND	10.9	ND
XYLENE (M+P)	1330-20-7	2.50	ND	10.9	ND
XYLENE (O)	95-47-6	2.50	ND	10.9	ND
STYRENE	100-42-5	2.50	ND	10.6	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	2.50	ND	17.2	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	2.50	ND	12.3	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	2.50	ND	12.3	ND
1,3-DICHLOROBENZENE	541-73-1	2.50	ND	15.0	ND
1,4-DICHLOROBENZENE	106-46-7	2.50	ND	15.0	ND
1,2-DICHLOROBENZENE	95-50-1	2.50	ND	15.0	ND
1,2,4-TRICHLOROBENZENE	120-82-1	2.50	ND	18.6	ND
HEXACHLOROBUTADIENE	87-68-3	2.50	ND	26.7	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

APPROVED BY: MM
DATE: 3/8/06

K PRIME, INC.
LABORATORY REPORT

K PRIME PROJECT: 9946
CLIENT PROJECT: DESILVA.HAYWARD

BATCH ID: 030806A01

METHOD: 1,1,1,2-TETRAFLUOROETHANE
REFERENCE: EPA TO 14A

UNITS: UG/M3

SAMPLE ID	LAB NO.	SAMPLE TYPE	DATE SAMPLED	TIME SAMPLED	DATE ANALYZED	MRL	SAMPLE CONC
W-21-5	54249	AIR	3/2/06	13:21	3/8/06	8300	ND
W-22-5	54250	AIR	3/2/06	14:26	3/8/06	8300	ND
W-23-5	54251	AIR	3/2/06	15:30	3/8/06	8300	ND
W-24-5	54252	AIR	3/2/06	17:06	3/8/06	8300	ND
W-24-5D	54253	AIR	3/2/06	17:06	3/8/06	8300	ND
W-25-5	54254	AIR	3/2/06	10:31	3/8/06	8300	ND
W-28-5	54255	AIR	3/2/06	12:20	3/8/06	8300	14000
W-30-5	54256	AIR	3/2/06	11:26	3/8/06	8300	ND
W-31-5	54257	AIR	3/2/06	8:26	3/8/06	8300	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
MRL - METHOD REPORTING LIMIT
DIFLUOROETHANE CO-ELUTES WITH TETRAFLUOROETHANE

APPROVED BY: [signature]
DATE: 3/8/06

K PRIME, INC.
LABORATORY METHOD BLANK REPORT

METHOD BLANK ID: B030806I01
SAMPLE TYPE: AIR

BATCH ID: 030806A01
DATE ANALYZED: 3/8/06

METHOD: VOC'S IN AIR
REFERENCE: EPA METHOD TO14A (GC-MS-SCAN)

COMPOUND NAME	CAS NO.	PPB (V/V) MRL	PPB (V/V) SAMPLE CONC	µg/cu. m MRL	µg/cu. m SAMPLE CONC
DICHLORODIFLUOROMETHANE	75-71-8	0.500	ND	2.47	ND
DICHLOROTETRAFLUOROETHANE	76-14-2	0.500	ND	3.50	ND
CHLOROMETHANE	74-87-3	0.500	ND	1.03	ND
VINYL CHLORIDE	75-01-4	0.500	ND	1.28	ND
BROMOMETHANE	74-83-9	0.500	ND	1.94	ND
CHLOROETHANE	75-00-3	0.500	ND	1.32	ND
TRICHLOROFLUOROMETHANE	75-69-4	0.500	ND	2.81	ND
1,1-DICHLOROETHENE	75-35-4	0.500	ND	1.98	ND
TRICHLOROTRIFLUOROETHANE	76-13-1	0.500	ND	3.83	ND
METHYLENE CHLORIDE	75-09-2	0.500	ND	1.74	ND
1,1-DICHLOROETHANE	75-34-3	0.500	ND	2.02	ND
CIS-1,2-DICHLOROETHENE	156-59-2	0.500	ND	1.98	ND
CHLOROFORM	67-66-3	0.500	ND	2.44	ND
1,1,1-TRICHLOROETHANE	71-55-6	0.500	ND	2.73	ND
CARBON TETRACHLORIDE	56-23-5	0.500	ND	3.15	ND
1,2-DICHLOROETHANE	107-06-2	0.500	ND	2.02	ND
BENZENE	71-43-2	0.500	ND	1.60	ND
TRICHLOROETHENE	79-01-6	0.500	ND	2.69	ND
1,2-DICHLOROPROPANE	78-87-5	0.500	ND	2.31	ND
TRANS-1,3-DICHLOROPROPENE	10061-02-6	0.500	ND	2.27	ND
TOLUENE	108-88-3	0.500	ND	1.88	ND
CIS-1,3-DICHLOROPROPENE	10061-01-5	0.500	ND	2.27	ND
1,1,2-TRICHLOROETHANE	79-00-5	0.500	ND	2.73	ND
TETRACHLOROETHENE	127-18-4	0.500	ND	3.39	ND
1,2-DIBROMOETHANE	106-93-4	0.500	ND	3.84	ND
CHLOROBENZENE	108-90-7	0.500	ND	2.30	ND
ETHYLBENZENE	100-41-4	0.500	ND	2.17	ND
XYLENE (M+P)	1330-20-7	0.500	ND	2.17	ND
XYLENE (O)	95-47-6	0.500	ND	2.17	ND
STYRENE	100-42-5	0.500	ND	2.13	ND
1,1,2,2-TETRACHLOROETHANE	79-34-5	0.500	ND	3.43	ND
1,3,5-TRIMETHYLBENZENE	108-67-8	0.500	ND	2.46	ND
1,2,4-TRIMETHYLBENZENE	95-63-6	0.500	ND	2.46	ND
1,3-DICHLOROBENZENE	541-73-1	0.500	ND	3.01	ND
1,4-DICHLOROBENZENE	106-46-7	0.500	ND	3.01	ND
1,2-DICHLOROBENZENE	95-50-1	0.500	ND	3.01	ND
1,2,4-TRICHLOROBENZENE	120-82-1	0.500	ND	3.71	ND
HEXACHLOROBUTADIENE	87-68-3	0.500	ND	5.33	ND

NOTES:
ND - NOT DETECTED AT OR ABOVE THE STATED REPORTING LIMIT
MRL - METHOD REPORTING LIMIT
NA - NOT APPLICABLE OR AVAILABLE
µg/cu. m VALUES ARE CALCULATED FROM PPB RESULTS USING NORMAL TEMPERATURE AND PRESSURE (NPT).

WEST
Environmental Services & Technology
711 Grand Avenue, Suite 220
San Rafael, California 94901
415.460.6770 • Fax 415.460.6771
main@westenvironmental.com

SAMPLE ANALYSIS/COMPOSITE REQUEST FORM
CHAIN-OF-CUSTODY

Invoice to: West, Inc.	**Date: 3/2/06**	**Page: 5 of 5**
Project: DeSilva.Hayward	**Location: Saklan Road, Hayward, California**	
Project Manager: Sharon Squire	**Tel: 415/460-6770**	**Fax: 415/460-6771**
Laboratory: KPrime, Inc., Santa Rosa, CA	Turnaround Time (days)	1 / 2 / 3 / 5 / 14 / Std. — X
Sampler Signature:	Analyses Required	

Sample ID	Summa ID	Date	Time	Type	# Containers	COMPOSITE	VOCs (TO-14A) + tetrafluoroethane								KPH #			HOLD
W-21-5	S-255	3/2/06	1245/1321	SG	1	--	X								54249			
W-22-5	S-250	3/2/06	1054/1126	SG	1	--	X								54250			
W-23-5	S-106	3/2/06	1504/1530	SG	1	--	X								54251			
W-24-5	S-310	3/2/06	1615/1706	SG	1	--	X								54252			
W-24-5D	S-311	3/2/06	1615/1706	SG	1	--	X								54253			
W-25-5	SS-214	3/2/06	0931/1031	SG	1	--	X								54254			
W-28-5	S-521	3/2/06	1156/1220	SG	1	--	X								54255			
W-30-5	SS-216	3/2/06	1117/1220	SG	1	--	X								54256			
W-31-5	SS-215	3/2/06	0816/0836	SG	1	--	X								54257			

NOTES: Tetrafluoroethane used for leak detection.

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time
Squire.	3/3/06 3:05 PM	CMol (VTC)	3/3/06 3:05
CMol (VTC)	3-3-06 4:30	Pam Haworth	3-3-06 4:30

Reviewed:_____
Approved:_____